

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|---------------------|
| L20 | 3 | "20050129022" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/10 10:49 |
| L19 | 2 | "20030193967" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/10 10:37 |
| L18 | 22 | ISP with specific near3 router | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/10 10:34 |
| L17 | 1 | message adj server with specific near3 router | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/10 10:34 |
| L16 | 0 | message adj server near3 specific near3 router | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/10 10:34 |
| L15 | 9 | service adj providers near3 specific near3 router | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/10 10:33 |
| L14 | 9 | service adj provider near3 specific near3 router | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/10 10:22 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| L13 | 126 | service adj provider with specific with router | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/10 10:22 |
| L12 | 126 | service adj provider with router with specific | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/10 10:15 |
| L11 | 60 | header\$5 with return with path and acknowledge and (email message data) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/10 09:46 |
| L10 | 1 | header\$5 with return with path same acknowledge and (email message data) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/10 09:45 |
| L9 | 0 | header\$5 with return with path same acknowledge with receipt and (email message data) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/10 09:45 |
| L8 | 0 | header\$5 with return with path with acknowledge with receipt and (email message data) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/10 09:45 |
| L7 | 0 | track\$5 with return with path with acknowledge with receipt and (email message data) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/10 09:45 |
| L6 | 0 | track\$5 with return with path with acknowledge with receipt same (email message data) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/10 09:44 |

| | | | | | | |
|-----|------|--|---|----|----|---------------------|
| L5 | 4 | (inter-ISP (inter-service adj provider) inter-domain) with transfer\$5 with message and acknowledg\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/10 09:20 |
| L4 | 9 | (inter-ISP (inter-service adj provider) inter-domain) with transfer\$5 with message | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/10 09:20 |
| L3 | 1 | (inter-ISP (inter-service adj provider) inter-domain) with transfer\$5 same acknowledg\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/10 09:19 |
| L2 | 0 | (inter-ISP (inter-service adj provider) inter-domain) with transfer\$5 with message same acknowledg\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/10 09:19 |
| L1 | 64 | transfer\$5 with email with ISP | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/10 09:12 |
| S81 | 2 | "20020056123" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/05 09:07 |
| S80 | 1156 | MIME with document same"Fig." | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/05 08:50 |
| S79 | 0 | MIME with document with "Fig." | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/05 08:49 |

| | | | | | | |
|-----|-------|--|---|----|----|---------------------|
| S78 | 0 | MIME with document with depict\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/05 08:49 |
| S77 | 0 | MIME with document with standard with depict\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/05 08:49 |
| S76 | 256 | MIME with document with standard | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/05 08:46 |
| S75 | 2 | "6549612".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/05 08:35 |
| S74 | 2 | test\$5 same (local LAN) with (WAN remote) with access with (path route link) with (storage disk SAN) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 13:00 |
| S73 | 0 | test\$5 near4 (local LAN) with (WAN remote) with access with (path route link) with (storage disk SAN) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 13:00 |
| S72 | 13942 | test\$5 near4 (local LAN) with (WAN remote) access with (path route link) with (storage disk SAN) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 12:58 |
| S71 | 60 | network same (desired desirable) with (path route) same test\$5 near4 (path route link) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 11:10 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S70 | 268 | network same (desired desirable) with (path route) and test\$5 near4 (path route link) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 11:10 |
| S69 | 0 | network same (desired desirable) with (path route) and access near3 (right) and test \$5 near4 (path route link) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 11:09 |
| S68 | 7 | network same (desired desirable) with (path route) and access near3 (rule policy) and test\$5 near4 (path route link) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 11:01 |
| S67 | 0 | select\$5 same network same (desired desirable) with (path route) and access near3 (rule policy) and test\$5 near4 (path route link) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 11:01 |
| S66 | 1 | select\$5 with (desired desirable) with (path route link) and access near3 (rule policy) and test\$5 near4 (path route link) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 11:00 |
| S65 | 37 | select\$5 with desir\$5 with (path route link) same test\$5 near4 (path route link) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 10:51 |
| S64 | 45 | select\$5 with remote with local with (path route link) and test\$5 near4 (path route link) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 10:18 |
| S63 | 1 | select\$5 with remote with local with (path route link) same (rule policy) and test\$5 near4 (path route link) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 10:07 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S62 | 34 | select\$5 with remote with local with access same (rule policy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 09:54 |
| S61 | 2 | select\$5 with path with remote with local with access same (rule policy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 09:53 |
| S60 | 1 | (SAN) and select\$5 with path with remote with local with access same (rule policy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 09:52 |
| S59 | 1 | (SAN) same manag\$5 and select\$5 with path with remote with local with access | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 09:50 |
| S58 | 21 | (SAN) same manag\$5 same remote with local with access | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 09:46 |
| S57 | 5 | data near3 (store container SAN) same Set near4 remote with local with access | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 09:45 |
| S56 | 0 | data near3 (store container SAN) same Set near4 remote with local with access same manag\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 09:45 |
| S55 | 120 | data with (store container SAN) same remote same local same access same address same manag \$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 09:43 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S54 | 383 | data with (store container SAN) same remote same local same access same address | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 09:42 |
| S53 | 2 | "20030212785" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 09:36 |
| S52 | 2 | "7299259".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 09:04 |
| S51 | 2 | "7296088".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 09:03 |
| S50 | 2 | "7594267".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 08:26 |
| S49 | 2 | "20030193967" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/03 17:19 |
| S48 | 11 | evaluat\$5 near4 header near8 identif\$5 with (element node) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/26 07:44 |
| S47 | 4 | evaluat\$5 near4 header with network with identif\$5 with (element node) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/26 07:43 |

| | | | | | | |
|-----|---|--|---|----|----|---------------------|
| S46 | 1 | MMSE same add\$5 near5 header near10 functionality | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/25 15:19 |
| S45 | 0 | MMSE same add\$5 near5 header near10 functionality near5 (rout\$5 relay\$5) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/25 15:18 |
| S44 | 1 | MMSE near5 element near10 functionality near5 (rout\$5 relay\$5) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/25 14:36 |
| S43 | 0 | MMSE and header\$5 with function\$3 with rout\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/25 14:13 |
| S42 | 2 | MMS with header\$5 with function\$3 with rout\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/25 13:48 |
| S41 | 5 | MMS with function\$5 with rout\$5 same provider | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/25 13:47 |
| S40 | 0 | MMSE same function \$5 near5 rout\$5 same provider | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/25 13:40 |
| S39 | 0 | MMSE same function \$5 with rout\$5 same provider | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/25 13:40 |

| | | | | | | |
|-----|-----|--|---|----|-----|---------------------|
| S38 | 0 | MMSE with function\$5 with rout\$5 same provider | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/25 13:40 |
| S37 | 2 | "6374292".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/25 13:36 |
| S36 | 2 | "20030193967" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/25 13:22 |
| S35 | 247 | role-based same user same interface | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/17 13:33 |
| S34 | 2 | "20030193967" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/17 13:10 |
| S33 | 2 | "6374292".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/17 11:17 |
| S32 | 6 | trust same address same local same global | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/17 10:39 |
| S31 | 1 | trust same address same link-local | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/17 10:38 |

| | | | | | | |
|-----|-----|---|---|----|-----|---------------------|
| S30 | 1 | high-trust near3 address | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/17 10:33 |
| S29 | 238 | trust near3 address | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/17 10:33 |
| S28 | 0 | high-trust near3 address | USPAT | OR | OFF | 2008/12/17 10:32 |
| S27 | 0 | 11/146839 | USPAT | OR | OFF | 2008/12/17 10:27 |
| S26 | 90 | message with header with (domain (service adj provider)) near5 (identif\$8) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:43 |
| S25 | 1 | (Multimedia adj3 messag\$5) same header same (domain (service adj provider)) near5 (identif\$8) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:40 |
| S24 | 0 | (Multimedia adj3 messag\$5) same header same (domain (service adj provider)) near5 (identif\$8) and "822" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:40 |
| S23 | 29 | header with (domain (service adj provider)) near5 (identif\$8) and "822" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:38 |
| S22 | 296 | header with (domain (service adj provider)) near5 (identif\$8) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:37 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S21 | 689 | header same (domain (service adj provider)) near5 (identif\$8) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:37 |
| S20 | 0 | header same (domain (service adj provider)) near5 (identif\$8) same return near4 path | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:37 |
| S19 | 1 | header same "822" and (domain (service adj provider)) near5 (identif\$8) same return near4 path | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:37 |
| S18 | 1 | header same "822" and (domain (service adj provider)) same return near4 path near5 (identif\$8) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:36 |
| S17 | 0 | header same "822/11" and (domain (service adj provider)) same return near4 path near5 (identif\$8) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:36 |
| S16 | 1 | header same "RFC 822" and (domain (service adj provider)) same return near4 path near5 (identif\$8) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:35 |
| S15 | 0 | header same "RFC 822" same (domain (service adj provider)) same return near4 path near5 (identif\$8) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:34 |
| S14 | 0 | header same "RFC 822" same return near4 path near5 (identif\$8) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:33 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| S13 | 0 | header same "std 11" same domain near5 (identif\$8) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:26 |
| S12 | 0 | header same std11 same domain near5 (identif\$8) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:26 |
| S11 | 0 | header same "RFC822" same domain near5 (identif\$8) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:26 |
| S10 | 0 | header same "RFC 822" same domain near5 (identif\$8) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:25 |
| S9 | 27 | header same "RFC 822" and domain near5 (identif\$8) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:25 |
| S8 | 0 | header same "RFC 822" and domain near5 (element node) near5 (identif\$8) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:25 |
| S7 | 0 | header same "RFC 822" same domain near5 (element node) near5 (identif\$8) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:25 |
| S6 | 0 | header same "RFC 822" same domain near (element node) near5 (identif\$8) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:25 |

| | | | | | | |
|----|-------|---|---|----|----|---------------------|
| S5 | 0 | header same "RFC 822" same network same domain near (element node) near5 (identif\$8) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:25 |
| S4 | 253 | header same "RFC 822" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:12 |
| S3 | 2 | "20030193967" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 08:08 |
| S2 | 6 | return near5 path same "RFC 822" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 07:58 |
| S1 | 86946 | return near5 path same RFC "822" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/17 07:58 |

EAST Search History (I nterference)

< This search history is empty >

5/10/2010 10:53:21 AM**C:\Documents and Settings\apatel3\My Documents\EAST\Workspaces\10520767-1.wsp**